Fidelity from every angle

We've crafted three new speakers: a surround-sound powerhouse, a standalone masterpiece and a stirring stereo experience. The twist? They're all the same speaker.

Beolab 8 is the embodiment of versatility. Hear it shine on its own, sing in any set up and perform wherever you place it.




Why you'll love it

- Groundbreaking, room-shaking sound.
- High-resolution wireless streaming built in.
- Maps your room for peak playback.
- Plays anywhere. Table, floor, wall, it's your call.
- Future-ready: swappable covers and upgradeable parts.



Measurements



Basic

PRODUCT DIMENSIONS

On a table or shelf: 16.5 W x 29 H x 18.9 D cm

On the floor: 30.0 W x 114.0 H x 30 D cm

Wall mounted: 16.5 W x 27.9 H x 21.5 D cm

WEIGHT

Speaker only: 4.1 kg

RECOMMENDED ROOM SIZE

10 - 50 m²

MATERIALS

Aluminium Fabric / Wood Polymer

PLACEMENT

Table, shelf, floor or wall mounted

OPERATING CONDITIONS

Temperature: 0-40° C Humidity: 30-70% RH





Technical

POWER AMPLIFIERS

1 x 50 watt, class D for tweeter 1 x 50 watt, class D for mid-range 1 x 200 watt, class D for woofer

POWER SUPPLY

Power supply built-in Power cable included

SPEAKER DRIVERS

1 x 0.6" tweeter 1 x 3.0" mid-range 1 x 5.25" woofer

ADVANCED SOUND FEATURES

Active Room Compensation Beam Width Control Thermal Protection Adaptive Bass Linearization

Fluid Sweet Spot

MAXIMUM SOUND PRESSURE LEVEL @1M

104 dB SPL

BASS CAPABILITY @1M

90 dB SPL

Connectivity

WIRELESS CONNECTIONS

Dual band WLAN 2.4 & 5 GHz IEEE 802.11 b/g/a/n/ac/ax Bluetooth 5.3

INTEGRATED MUSIC SERVICES

Bang & Olufsen Radio

STEREO PAIRING

B&O Stereo Pairing¹

MULTIROOM

Apple AirPlay 2, Chromecast and BeoLink Multiroom® technologies are integrated and ready for you to create a wireless Multiroom setup with Beolab 8.

CONNECTIONS

2 x Ethernet 10/100 Mbit

1 x Powerlink (RJ45) 2 channels

SUPPORTED AUDIO FORMATS

MP3, WMA, AAC, ALAC, FLAC, WAV, AIFF, OGG, HLS

Standard sample rates up to 192 kHz, stereo and up to 24 bit

Note: WMA lossless is not supported

WIRELESS POWERLINK

Wireless Power Link (24 bit / 48 kHz)

STREAMING FORMATS

- Chromecast built-in^{TM 2}
- Apple AirPlay 2
- · Bluetooth audio streaming
- Spotify Connect
- · Tidal Connect

VOICE ASSISTANT

Nο

REMOTE CONTROL

Beoremote One BT Beoremote Halo Bang & Olufsen App

 ${}^{1}Bang \& Olufsen \ Stereo \ Pairing \ is \ factory \ default \ encoded \ using \ LC3 plus \ high \ resolution \ Codec.$ LC3plus is licensed by Fraunhofer IIS: www.iis.fraunhofer.dk/audio

²Google and Chromecast built-in are trademarks of Google LLC. Google Assistant is not available in certain languages and countries.



Other information

DESIGNER

Noto Design GmbH

IN THE BOX

Beolab 8
Power cable
Quick start guide
Wishbone (part that connect the speaker to the stands)
Back covers (Left and Right)



BASE

 $Natural\ aluminium$



Grey Melange fabric or oak



BASE

Black Anthracite aluminium



FRONT COVER

Dark oak



Gold Tone aluminium



FRONT COVER

Light oak



